

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CHRYSO®Quad 890 Product code : PF004185U.

1.2. Relevant identified uses of the substance or mixture and uses advised against Concrete and mortar admixture.

1.3. Details of the supplier of the safety data sheet

Registered company name : CHRYSO UK Ltd.

Address : 9 Brunel Close, Drayton Fields Industrial Estate.NN11 8RB.Daventry.United Kingdom. Telephone : +44 (0) 1327707976. Fax : +44 (0) 1327707968.

uk.msds@chryso.com

1.4. Emergency telephone number : 0870 600 6266.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07	
Signal Word :	
WARNING	
Product identifiers :	
EC 203-856-5	GLUTARAL
EC 247-761-7	2-OCTYL-2H-ISOTHIAZOL-3-ONE
EC 220-239-6	METHYLISOTHIAZOLINON
Hazard statements :	
H317	May cause an allergic skin reaction.
Precautionary statement	s - Prevention :
P261	Avoid breathing vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
Precautionary statement	s - Response :
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 111-30-8	GHS06, GHS05, GHS09, GHS08	[1]	0 <= x % < 0.1
EC: 203-856-5	Dgr		
	Acute Tox. 3, H301		
GLUTARAL	Skin Corr. 1B, H314		
	Skin Sens. 1A, H317		
	Acute Tox. 3, H331		
	Resp. Sens. 1, H334		
	STOT SE 3, H335		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	MAcute = 1		
CAS: 26530-20-1	GHS06, GHS05, GHS09		0.0015 <= x % <
EC: 247-761-7	Dgr		0.1
	Acute Tox. 4, H302		
2-OCTYL-2H-ISOTHIAZOL-3-ONE	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1, H317		
	Acute Tox. 3, H331		
	STOT SE 3, H335		
	Aquatic Acute 1, H400		
	MAcute = 1		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
CAS: 2682-20-4	GHS06, GHS05, GHS09		0 <= x % < 0.00
EC: 220-239-6	Dgr		
	Acute Tox. 3, H301		
METHYLISOTHIAZOLINON	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	MAcute = 10		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
	EUH:071		
Specific concentration limits:			
Identification	Specific concentration limits	ATE	
CAS: 111-30-8	Skin Corr. 1B: H314 C>= 10%		
EC: 203-856-5	Skin Irrit. 2: H315 0.5% <= C < 10%		
	Eve Dam. 1: H318 $C \ge 2\%$		

CAS: 111-30-8	Skin Corr. 1B: H314 C>= 10%	
EC: 203-856-5	Skin Irrit. 2: H315 0.5% <= C < 10%	
	Eye Dam. 1: H318 C>= 2%	
GLUTARAL	Eye Irrit. 2: H319 0.5% <= C < 2%	
CAS: 26530-20-1	Skin Sens. 1: H317 C>= 0.0015%	
EC: 247-761-7		
2-OCTYL-2H-ISOTHIAZOL-3-ONE		
CAS: 2682-20-4	Skin Sens. 1: H317 C>= 0.0015%	
EC: 220-239-6		
METHYLISOTHIAZOLINON		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

No data available.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

CIIK 150@Quau 690 - 110041650

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- France (INRS - ED984 / 2020-1546) :

CAS	VME-ppm :	VME-mg/m3	: VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
111-30-8	0.1	0.4	0.2	0.8	-	65.66
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
111-30-8	0.05 ppm	0.05 ppm		Sen]
	0.2 mg/m^3	0.2 mg/m^3				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

9.1. Information on basic physical and chemical properties	
Physical state	
Physical state :	Fluid liquid.
Colour	
light brown	
Odour	
Odour threshold :	Not stated.
Odour :	Characteristic
Melting point	
Melting point/melting range :	Not relevant.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not relevant.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
pH	
pH (aqueous solution) :	Not stated.
pH :	4.50 .
	Slightly acidic.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Soluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	> 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classes	
No data available.	
9.2.2. Other safety characteristics	
No data available.	

SECTION 10 : STABILITY AND REACTIVITY 10.1. Reactivity No data available. 10.2. Chemical stability This mixture is stable under the recommended handling and storage conditions in section 7. 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost **10.5. Incompatible materials** No data available. 10.6. Hazardous decomposition products The thermal decomposition may release/form : - carbon monoxide (CO) - carbon dioxide (CO2) SECTION 11 : TOXICOLOGICAL INFORMATION 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 May cause an allergic reaction by skin contact. 11.1.1. Substances Acute toxicity : METHYLISOTHIAZOLINON (CAS: 2682-20-4) Oral route : 200 < LD50 <= 300 mg/kg Species : Rat OECD Guideline 401 (Acute Oral Toxicity) Dermal route : 200 < LD50 <= 400 mg/kg Species : Rat OECD Guideline 402 (Acute Dermal Toxicity) Skin corrosion/skin irritation : METHYLISOTHIAZOLINON (CAS: 2682-20-4) Causes severe skin burns. Corrosivity : Species : Rabbit OECD Guideline 404 (Acute Dermal Irritation / Corrosion) 11.1.2. Mixture No toxicological data available for the mixture. SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances 2-OCTYL-2H-ISOTHIAZOL-3-ONE (CAS: 26530-20-1) Fish toxicity : Species : Oncorhynchus mykiss Duration of exposure : 96 h Crustacean toxicity : Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity :

Species : Scenedesmus subspicatus Duration of exposure : 72 h

GLUTARAL (CAS: 111-30-8)

Fish toxicity :	LC50 = 5 mg/l
	Species : Leuciscus idus melanotus
	Duration of exposure : 96 h
	ECx > 1 mg/l
Crustacean toxicity :	EC50 = 15 mg/l
	Species : Daphnia magna
	Duration of exposure : 48 h
Algae toxicity :	ECr50 = 0.42 mg/l
	Factor $M = 1$
	Species : Scenedesmus subspicatus
	Duration of exposure : 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

2-OCTYL-2H-ISOTHIAZOL-3-ONE (CAS: 26530-20-1) Biodegradability : no degradability

no degradability data is available, the substance is considered as not degrading quickly.

GLUTARAL (CAS: 111-30-8) Biodegradability :

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

Rapidly degradable.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

. -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

- 14.4. Packing group
- _

14.5. Environmental hazards

-

14.6. Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:
- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)
- Container information:
- No data available.
- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

Ecx : The effective concentration of the substance that causes x% maximum reaction.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.